



# BASELITE – ROADHOUSE – INC – SPECIFICATION SHEET



PROJECT NAME: \_\_\_\_\_ PROJECT TYPE: \_\_\_\_\_

MODEL #	/	/	/	/	/	/	/	/	/	/	/
	A	B	C	D	E	F	G	H	I	J	K
EXAMPLE:	MC12	41	B10	SQ ½"	43	25W	3K	LDM120	CL3	GR12	44
*SKIP SECTION IF OPTION DOES NOT APPLY											

NOTES:

---



---



---



## A - SHADES

### ROADHOUSE

- MC8 - 100WINC (MAX)
- MCA8 - 100WINC (MAX)
- MC12 - 100WINC (MAX)
- MCA12 - 100WINC (MAX)
- MC16 - 200WINC (MAX)
- MCA16 - 200WINC (MAX)
- MC18 - 200WINC (MAX)
- MCA18 - 200WINC (MAX)
- MC20 - 200WINC (MAX)
- MCA20 - 200WINC (MAX)
- MCF12 - 100WINC (MAX)
- MCAF12 - 100WINC (MAX)
- MCL12 - 100WINC (MAX)
- IMC20 - 200WINC (MAX)
- 3MC12E1 - 100WINC (MAX)

## B - FINISH OPTIONS

- (SEE WEBSITE FOR SWATCH COLORS)  
(\*SEE NOTES FOR LIMITATIONS\*)
- 14, 15, 16, 17, 18, 19, 19P, 20, 20P, 20PB, 20SB, 21, 21P, 22, 22P, 23, 23P, 38, 39, 40, 41, 41.5, 42, 43, 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, MG.

## C - MOUNTING OPTIONS

- ½" ARM EXTENSIONS**  
E1, E2, E3, E4, B1, E16, E17, E18, E27
- ¾" ARM EXTENSIONS**  
E3A, E4A, E5, E6, E7, E8, E9, E10, E11, E12, E13, B15, B15S, E19, E20, E21, E25
- E14 - CREATE YOUR OWN**  
(BASELITE WILL TAKE YOUR SKETCH AND FABRICATE A CUSTOM ARM EXTENSION TO MEET YOUR NEEDS).
- ½" WALL MOUNT**  
WM19, WM25, WM26
- ¾" WALL MOUNT**  
B13, WM13R, WM13X, B10, B11, B101
- ¾" WALL MOUNT**  
B9, B9C, B12, WM10, WM11, WM14X,
- CORD MOUNT**  
BLC, WHC, TCB, TCW, TCHB, TCHW, TLB, TLW, TLB, TLW, RCB, RCW, RCHB, RCHW, FHB, FHW, HBLC, HWHC, CBLC, CWHC
- STEM MOUNT**  
ST6, ST12, ST18, ST24, ST36, ST48, STXX

## D - MOUNTING ADD-ONS

- INC ADD-ONS**  
CB ½", CB ¾", SLC ½", SLC ¾", STC
- UNIVERSAL ADD-ONS**  
SQ ½", SQ ¾", FH ½", FH ¾", TRB ½", TRB ¾", SWL, LGSWL, CNK, INB, RINB

## E - MOUNTING COLOR

SEE SECTION "B" FOR COLOR OPTIONS.

## F - LIGHT SOURCE

(SEE PAGE 4 FOR WATTAGE LIMITATIONS)  
**INCANDESCENT (INC)**  
100W, 150W, 200W

## G - LED COLOR TEMP

NOT AVAILABLE

## H - ELECTRICAL OPTION

NOT AVAILABLE

## I - GLASS OPTIONS

- CL3, CL4, CLT3, CLT4, BL3, BL4, RE3, RE4, GR3, GR4, AH3, AH4, FR3, FR4, FRT3, FRT4, PR3, PR4, BA, BAX, BAF, PR8, PR8F, FN, OC

## J - ACCESSORIES











- GR8, GR12, GR16, GR18, GR20, REF, UGR, LGR8, LGR12, LGR16, LGR18, LGR20, CRL8, CRL12, CRL16, CRL18, CRL20, FLE8, FLE12, FLE16, FLE18, FLE20, FGR8, FGR12, FGR16, FGR18, FGR20, GU-1, GU-2, WG-1, WG-2

## K - ACCESSORY COLOR

SEE SECTION "B" FOR COLOR OPTIONS.

## NOTES

- (1). FINISH OPTIONS 75,76, 77, 83, 84, 88, 93 AND 98 ARE APPLIED BY HAND. THESE FINISHES WILL VARY IN CONSISTENCY.
  - (2). FINISH OPTIONS 38, 39, 40, 49, 54, 57, 58, 61, 62, 63, 70, 71, 72, 73, 78, 83, 84, 88, 92, 93, 98 ONLY AVAILABLE INSIDE AND OUT OF FIXTURE. OTHER FINISHES ARE WHITE INSIDE.
  - (3). FINISH OPTIONS 61, 62, 70, 71, 72, 73 ARE FINISHED WITH A SUPERCHROME ON THE INSIDE FOR ALL LED LIGHT SOURCE OPTIONS.
  - (4). FINISH OPTIONS FOR SHADES ≤ 10" IN DIAMETER ARE THE SAME INSIDE AND OUT OF FIXTURE. SHADES > 10" IN DIAMETER ARE WHITE ON THE INSIDE.
  - (5). COLOR CORDS ARE NOT APPLICABLE FOR LED OPTIONS.
- \*ALL ARMS COME WITH A CAST BACKPLATE (CB1/2", CB3/4", LWTM, CFWTM, ECT.).
- \*ACCORDING TO THE LIGHT SOURCE THE BACKPLATE MAY VARY IN SIZE. (EXAMPLE: LED LIGHT SOURCE WILL HAVE A DEEPER BACKPLATE TO HOUSE THE DRIVER.).
- \*ALL FIXTURES MOUNT TO A 4-O JUNCTION BOX.
- \*FIXTURE DIMENSIONS MAY VARY ± 0.25.
- \*CORD AND CANOPY COME IN THE SAME COLOR.














**C - MOUNTING OPTIONS**
















**1/2" ARM EXTENSIONS**

\*ARMS RATED FOR WET LOCATION    \*MAXIMUM SECTIONS OF ARMS ARE DIMENSIONED    \*E27 CUSTOM BACK PLATE - 8" (H) .5" (W)



**3/4" ARM EXTENSIONS**

\*ARMS RATED FOR WET LOCATION    \*MAXIMUM SECTIONS OF ARMS ARE DIMENSIONED






Baselite will take your sketch and fabricate a custom arm extension to meet your

All arms sold with Cast Backplate (CB)

**E14** TBD"(H) TBD"(W)

**1/4" WALL WALL**

\*MOUNTS RATED FOR WET LOCATION    \*FOR SHADES 10" OR SMALLER IN DIAMETER    \*MAXIMUM SECTIONS OF MOUNTS ARE DIMENTIONED





C - MOUNTING OPTIONS (CONTINUED)

1/2" WALL MOUNTS

\*MOUNTS RATED FOR WET LOCATION \* MAXIMUM SECTIONS OF MOUNTS ARE DIMENSIONED



**B10** 6"(H) 12.5"(W)




**B101** 6"(H) 13.5"(W)



**B11** 6"(H) 14.5"(W)




**B13** 6"(H) 16.5"(W)



**WM13** 12"(H) 9.5"(W)



**WM13R** 12"(H) 9.5"(W)



**WM13X** 12"(H) 10.5"(W)

3/4" WALL MOUNTS


\*MOUNTS RATED FOR WET LOCATION \* MAXIMUM SECTIONS OF MOUNTS ARE DIMENSIONED



**B12** 6"(H) 15.5"(W)



**B9** 5"(H) 18"(W)



**B9C** 5"(H) 18"(W)


\*CHAIN HEIGHT TBD BY CUSTOMER




**WM10** 4.75"(H) 9.5"(W)



**WM11** 4.75"(H) 11"(W)



**WM14** 18"(H) 12"(W)




**WM14X** 18"(H) 14"(W)



**WM15** 23"(H) 19.5"(W)



**WM18** 30"(H) 20"(W)



**WM30** 15.5"(H) 16.5"(W)



**WM35** 26"(H) 18.25"(W)




**WM35X** 26"(H) 22"(W)




**WM55** 19"(H) 25.5"(W)



**WM55X** 19"(H) 27"(W)




**WM60** 18"(H) 20"(W)




**WM60X** 18"(H) 22"(W)




**WM61** 18"(H) 20"(W)




**WM61X** 18"(H) 22"(W)




**WM70** 18"(H) 20"(W)



**WM70X** 18"(H) 22"(W)



**WM71** 18"(H) 20"(W)




**WM71X** 18"(H) 22"(W)

**C - MOUNTING OPTIONS (CONTINUED)**

**STEM MOUNTS**

\*STEMS RATED FOR DAMP LOCATION



**DP24** DOUBLE PENDANT 20"(H) 24"(W)  
\*DP24 COMES STANDARD WITH STC AND ST18



**ST(XX)** STEM- 1/2" NPT  
XX = LENGTH OF STEM  
(EXAMPLE - "ST18" = STEM MOUNT 18" LENGTH)  
\*CANOPY NOT INCLUDED, ADD IN SECTION D  
\* 1/4" NPT AND 3/4" NPT AVAILABLE UPON REQUEST




**SC24** SCROLL STEM 33"(H) 24"(W)  
\*SC24 COMES STANDARD WITH STC

**INCANDESCENT CORD MOUNTS**

\*INCANDESCENT MAX WATTAGE 150 WATT \*CALL FACTORY FOR HIGHER WATTAGES. \*LOOPS, CABLES, AND CHAINS AVAILABLE ONLY FOR INCANDESCENT FIXTURES \*CORDS RATED FOR DRY LOCATION  
\*CANOPY DIMENSIONS: .625" (H) 5.25" (W) \*CORD AND CANOPY COME IN THE SAME COLOR.



**BLC** 8' BLACK CORD  
**WHC** 8' WHITE CORD



**TCB** 8' BLACK CORD, CABLE, and LOOP  
**TCW** 8' WHITE CORD, CABLE, and LOOP



**TCHB** 8' BLACK CORD, 3' CHAIN, and LOOP  
**TCHW** 8' WHITE CORD, 3' CHAIN, and LOOP




**TLB** 8' BLACK TELEPHONE CORD AND CABLE  
**TLW** 8' WHITE TELEPHONE CORD AND CABLE  
\* Not available H.I.D.




**RCB** 8' BLACK CORD, CABLE, and LOOP  
**RCW** 8' WHITE CORD, CABLE, and LOOP



**RCHB** 8' BLACK CORD, 3' CHAIN, and LOOP  
**RCHW** 8' WHITE CORD, 3' CHAIN, and LOOP



**FHB** 8' BLACK CORD WITH FLAT HUB  
**FHW** 8' WHITE CORD WITH FLAT HUB




**CBLC** 8' BLACK CORD and CABLE  
**CWLC** 8' WHITE CORD and CABLE




**CHB** 8' BLACK CORD, 3' CHAIN, and LOOP  
**CHW** 8' WHITE CORD, 3' CHAIN, and LOOP  
\* Loop may vary due to shade style

**D - MOUNTING ADD-ONS**


**INCANDESCENT STEM AND ARM ADD-ONS**



**CB 1/2"** CAST ALUMINUM BACKPLATE 1/2 NPT  
**CB 3/4"** CAST ALUMINUM BACKPLATE 3/4 NPT



**CBC 1/2"** 1/2" BACKPLATE COVER  
**CBC 3/4"** 3/4" BACKPLATE COVER  
\* Includes slip ring to hold 1/2" or 3/4" arm extension in place



**SLC 1/2"** SLOPE CEILING CANOPY 1/2"  
**SLC 3/4"** SLOPE CEILING CANOPY 3/4"  
\*(Slopes To 20 Degrees)




**STC 1/2"** 1/2" STEM MOUNT CANOPY







**J – ACCESSORIES**




- GR8** 8" WIRE GRILL
- GR12** 12" WIRE GRILL
- GR16** 16" WIRE GRILL
- GR18** 18" WIRE GRILL
- GR20** 20" WIRE GRILL




- LGR8** 8" LOUVERED GRILL
- LGR12** 12" LOUVERED GRILL
- LGR16** 16" LOUVERED GRILL
- LGR18** 18" LOUVERED GRILL
- LGR20** 20" LOUVERED GRILL




- FGR8** 8" FLAT GRILL
- FGR12** 12" FLAT GRILL
- FGR16** 16" FLAT GRILL
- FGR18** 18" FLAT GRILL
- FGR20** 20" FLAT GRILL




- CRL8** 8" CURVED POLYCARB LENS
- CRL12** 12" CURVED POLYCARB LENS
- CRL16** 16" CURVED POLYCARB LENS
- CRL18** 18" CURVED POLYCARB LENS
- CRL20** 20" CURVED POLYCARB LENS




- FLE8** 8" FLAT CLEAR LENS
- FLE12** 12" FLAT CLEAR LENS
- FLE16** 16" FLAT CLEAR LENS
- FLE18** 18" FLAT CLEAR LENS
- FLE20** 20" FLAT CLEAR LENS




**REF** 9.5" DIAMETER REFRACTOR




**UGR** U-WIRE GUARD




**WG-1** WIRE GUARD



**WG-2** WIRE GUARD



**GU-1** CAST ALUMINUM GUARD



**GU-2** CAST GUARD