



BASELITE - ARCHITECTURAL - WALL LIGHTS - L.E.D.



PROJECT NAME: _____ PROJECT TYPE: _____

MODEL #	/	/	x	/	x	/	x	/	/	/	x	/	x	/	x	/
	A	B	C	D	E	F	G	H	I	J	K					
EXAMPLE:	EUAR1	41	-	-	-	45W	3K	-	-	-	LDM120					

*SKIP SECTION IF OPTION DOES NOT APPLY

NOTES:



A - SHADES

- WALL LIGHTS**
 EUAR1 - (25W MAX)
 EUAR2 - (50W MAX)
 EUCS1 - (25W MAX)
 EUCS2 - (50W MAX)
 EUES1 - (25W MAX)
 EUES2 - (50W MAX)
 EUER1 - (25W MAX)
 EUER2 - (50W MAX)
 EUFS1 - (25W MAX)
 EUFS2 - (50W MAX)
 EUFR1 - (25W MAX)
 EUFR2 - (50W MAX)
 EUGS1 - (25W MAX)
 EUGS2 - (50W MAX)
 EUGR1 - (25W MAX)
 EUGR2 - (50W MAX)
 EUHS1 - (25W MAX)
 EUHS2 - (50W MAX)
 EUHR1 - (25W MAX)
 EUHR2 - (50W MAX)
 EUIR1 - (25W MAX)
 EUIR2 - (50W MAX)
 EUJS1 - (25W MAX)
 EUJS2 - (50W MAX)
 EUKR1 - (25W MAX)
 EUKR2 - (50W MAX)
 WDY14 - (25W MAX)
 WWM8 - (25W MAX)
 SAL8 - (25W MAX)

WALL LIGHTS ADA COMPLIANT

- EUAR1, EUCS1, EUES1,
 EUER1, EUFS1, EUFR1,
 EUGS1, EUGR1, EUHS1,
 EUHR1, EUIR1, EUJS1,
 EUKR1



B - FINISH OPTIONS

- 15-POWDER BLUE
 16-DISTRESSED TURQUOISE
 17-DISTRESSED CHALK
 18-MINT GREEN
 19A-ANTIQUÉ ALUMINUM ACID (2)
 19-ANTIQUÉ ALUMINUM
 22A-OLD PEWTER ACID (1)(2)
 22-OLD PEWTER
 41-GLOSS BLACK
 41.5-MATTE BLACK
 42-DARK GREEN
 43-RED
 44-WHITE
 45-MEDIUM BLUE
 46-YELLOW
 48-POLISHED ALUMINUM
 49-GALVANIZED
 50-NAVY BLUE
 51-ARCHITECTURAL BRONZE
 52-PATINA

B - FINISH OPTIONS (CONT.)

- 53-RUST
 54-STUCCO
 55-SAGE
 57-POLISHED ALUMINUM CC
 58-SATIN ALUMINUM
 59-COPPER TONE
 60-CANAL GREEN
 61-ANODIZED CHARCOAL
 62-ANODIZED BRONZE
 63-IRON RUST
 64-WROUGHT IRON
 65-TERRACOTTA
 66-BARK
 70-TRANSPARENT RED
 71-TRANSPARENT GREEN
 72-TRANSPARENT WINE
 73-TRANSPARENT NAVY
 74-GUN METAL
 75-DISTRESSED RED
 76-DISTRESSED BLUE
 77-DISTRESSED GREEN
 78-CHALKBOARD BLACK
 79-GHOST ORANGE
 80-PALE GOLD
 81-METALLIC BRONZE
 82-BLACK GOLD
 83-SHOCKER GREEN
 84-FADDED BLUE
 85-COBBLESTONE
 86-BRONZE COPPER
 87-CHAMPAGNE
 89-TAUPE
 90-LIME GREEN
 91-PACIFIC PINE
 92-ANTIQUÉ GALVANIZED
 93-FADDED COPPER
 94-ANODIZED ALUMINUM
 95-TURQUOISE
 96-PURPLE
 97-BATTLESHIP GREY
 98-BLACKENED PIPE
 99-STEEL
 100-OLD STEEL
 -(MG) MARINE GRADE FINISH-
 AVAILABLE UPON REQUEST.

F - LIGHT SOURCE

LIGHT EMITTED DIODE (LED)
12W, 25W, 35W, 50W

G - LED COLOR TEMP

(ONLY APPLICABLE FOR LED LIGHT SOURCE. SKIP THIS SECTION IF OPTION DOES NOT APPLY.)
27K - 2700 KELVIN
3K - 3000 KELVIN
35K - 3500 KELVIN
4K - 4000 KELVIN
5K - 5000 KELVIN

K - ELECTRICAL OPTION

LDM120 - 120V DIMMING
LDM0-10 - 0-10V DIMMING

NOTES

- (1). FINISH OPTIONS 20, 21, 22, 23 ARE FOR SOLID BRASS FIXTURES ONLY.
- (2). FINISH OPTIONS 19, 21, 22, 23 ARE AN ACID FINISH AND IS APPLIED BY HAND. THESE FINISHES WILL VARY IN CONSISTENCY.
- (3). ALL FIXTURES MOUNT TO A 40 JUNCTION BOX.
- (4). FIXTURE DIMENSIONS MAY VARY ± 0.25.
- (5). WALL LIGHTS WITH THE ADA LOGO MEET THE REQUIREMENTS OF A 4" PROJECTION FROM THE WALL TO BE ADA COMPLIANT.



BASELITE - ARCHITECTURAL – WALL LIGHTS



PROJECT NAME: _____ PROJECT TYPE: _____

A – SHADES


ARCHITECTURAL WALL LIGHTS




	HEIGHT	WIDTH	PROJ.
EUAR1	16"	8"	4"
EUAR2	22"	9.5"	5.5"





	HEIGHT	WIDTH	PROJ.
EUCS1	16"	8"	4"
EUCS2	22"	9.5"	5.5"





	HEIGHT	WIDTH	PROJ.
EUER1	16"	8"	4"
EUER2	22"	9.5"	5.5"





	HEIGHT	WIDTH	PROJ.
EUES1	16"	8"	4"
EUES2	22"	9.5"	5.5"




	HEIGHT	WIDTH	PROJ.
EUFR1	16"	8"	4"
EUFR2	22"	9.5"	5.5"




	HEIGHT	WIDTH	PROJ.
EUFS1	16"	8"	4"
EUFS2	22"	9.5"	5.5"



	HEIGHT	WIDTH	PROJ.
EUGR1	16"	8"	4"
EUGR2	22"	9.5"	5.5"




	HEIGHT	WIDTH	PROJ.
EUGS1	16"	8"	4"
EUGS2	22"	9.5"	5.5"





	HEIGHT	WIDTH	PROJ.
EUHR1	16"	8"	4"
EUHR2	22"	9.5"	5.5"




	HEIGHT	WIDTH	PROJ.
EUHS1	16"	8"	4"
EUHS2	22"	9.5"	5.5"




	HEIGHT	WIDTH	PROJ.
EUIR1	16"	8"	4"
EUIR2	22"	9.5"	5.5"




	HEIGHT	WIDTH	PROJ.
EUJS1	16"	8"	4"
EUJS2	22"	9.5"	5.5"




	HEIGHT	WIDTH	PROJ.
EUKR1	16"	8"	4"
EUKR2	22"	9.5"	5.5"



	HEIGHT	WIDTH	PROJ.
WDY14	16"	16.25"	10"



	HEIGHT	WIDTH	PROJ.
WWM8	7"	7.75"	8"



	HEIGHT	WIDTH	PROJ.
SAL8	14.75"	6"	10"



BASELITE - ARCHITECTURAL – WALL LIGHTS

PROJECT NAME: _____ PROJECT TYPE: _____

B – FINISH OPTIONS (SEE FINISH OPTION SWATCHES ON WEBSITE)

14PN-POLISH NICKEL 15-POWDER BLUE 16-DISTRESSED TURQUOISE 17-DISTRESSED CHALK 18-MINT GREEN 19-ANTIQUÉ ALUMINUM* 19P-ANTIQUÉ ALUMINUM 20-RAW BRASS 20P-BRASS 20PB-POLISHED BRASS 20SB-SATIN BRASS 21-OIL RUBBED BRONZE* 21P-OIL RUBBED BRONZE 22-OLD PEWTER* 22P-OLD PEWTER PC 23-OLD COPPER PATINA* 23P-OLD COPPER PATINA 38-COPPER TINT 39-RAW COPPER 40-COPPER CLEAR COAT 41-GLOSS BLACK 41.5-MATTE BLACK 42-DARK GREEN 43-RED 44-WHITE 45-MEDIUM BLUE 46-YELLOW 48-POLISHED ALUMINUM 49-GALVANIZED 50-NAVY BLUE 51-ARCHITECTURAL BRONZE 52-PATINA 53-RUST 54-STUCCO 55-SAGE 57-POLISHED ALUMINUM CC 58-SATIN ALUMINUM 59-COPPER TONE 60-CANAL GREEN 61-ANODIZED CHARCOAL 62-ANODIZED BRONZE 63-IRON RUST 64-WROUGHT IRON 65-TERRACOTTA 66-BARK 70-TRANSPARENT RED 71-TRANSPARENT GREEN 72-TRANSPARENT WINE 73-TRANSPARENT NAVY 74-GUN METAL 75-DISTRESSED RED 76-DISTRESSED BLUE 77-DISTRESSED GREEN 78-CHALKBOARD BLACK 79-GHOST ORANGE 80-PALE GOLD 81-METALLIC BRONZE 82-BLACK GOLD 83-SHOCKER GREEN 84-FADDED BLUE 85-COBBLESTONE 86-BRONZE COPPER 87-CHAMPAGNE 88-FLAMED STEEL 89-TAUPE 90-LIME GREEN 91-PACIFIC PINE 92-ANTIQUÉ GALVANIZED 93-FADDED COPPER 94-ANODIZED ALUMINUM 95-TURQUOISE 96-PURPLE 97-BATTLESHIP GREY 98-BLACKENED PIPE 99-STEEL 100-OLD STEEL (MG)- MARINE GRADE FINISH- AVAILABLE UPON REQUEST.

F – LIGHT SOURCE

BASELITE'S PUBLISHED LUMINAIRE PHOTOMETRIC TESTING WAS PERFORMED IN A 3-METER INTEGRATING SPHERE USING THE 4TT GEOMETRY METHOD. DATA IS CONSIDERED TO BE REPRESENTATIVE OF THE CONFIGURATIONS SHOWN, WITHIN THE TOLERANCES ALLOWED BY LIGHTING FACTS. TO OBTAIN AN IES FILE SPECIFIC TO YOUR PROJECT, PLEASE CONTACT THE FACTORY.

LIGHT EMITTING DIODE (LED)

LED 25W (MAX)- EUAR1, EUCS1, EUES1, EUER1, EUFS1, EUF1R1, EUGS1, EUGR1, EUHS1, EUHR1, EUIR1, EUJS1, EUKR1, WDY14, WWM8

LED 50W (MAX)- EUAR2, EUCS2, EUES2, EUER2, EUFS2, EUF2R2, EUGS2, EUGR2, EUHS2, EUHR2, EUIR2, EUJS2, EUKR2

***IMPORTANT** – FOR LIGHT EMITTED DIODE (LED) LIGHT SOURCE OPTION, FIXTURES ARE LIMITED DUE TO SIZE OF THE FIXTURE AND THE CORD WATTAGE RESTRICTIONS. PLEASE SEE MAX WATTAGE AVAILABILITY.
EXAMPLE: / LED50W /

OPTION	WATTAGE	LUMENS	CRI	VOLTAGE	DIMMING
LED10WF	10W	1570	>90	120-277 VAC	DIMMING @ 120V ONLY
LED12W	12W	1596	>90	120-277 VAC	See section "H"
LED25W	25W	3125	>90	120-277 VAC	See section "H"
LED35W	35W	4200	>90	120-277 VAC	See section "H"
LED50W	50W	5750	>90	120-277 VAC	See section "H"

@3500K

K – ELECTRICAL OPTION

MOST BASELITE'S ELECTRICAL OPTIONS ARE ONLY COMPATIBLE FOR CERTAIN FIXTURES. PLEASE SEE NOTES BELOW AND FOR FURTHER DEATIALS CONTACT THE FACTORY. FOR DIMMING BALLAST OPTION PLEASE CHOOSE MARK X OR MARK VII, SO RESTRICTIONS APPLY DUE TO THE SIZE OF THE BALLAST AND FIXTURE.

LED DIMMING OPTIONS

(LED10WF – ONLY AVAILABLE WITH LDM120 - TRI-ELV DIMMING OPITON) ALL OTHER WATTAGES CAN CHOOSE FROM THE OPTIONS BELOW. CONTACT DRIVER MANUFACTURER FOR FURTHER SPECIFICATIONS.

LDM120 - TRIAC / ELV – INPUT 120 / 277V - DIMMING AT 120 VOLT ONLY

LDM0-10V – 0 – 10V – DIMMING AT 120 / 277 VOLTS