





BASELITE - DEEP BOWL – MED – SPECIFICATION SHEET



PROJECT NAME: _____ PROJECT TYPE: _____

NOTES: **BABA COMPLIANT**



*FOR A COMPLETE MODEL NUMBER, MAKE A SELECTION FROM THE DROP DOWNS BELOW. SKIP SECTIONS THAT DO NOT APPLY.

MODEL #

EXAMPLE: D610 41 E16 SQ ½" 43 150W PR3 GR10 44

A - SHADES

DEEP BOWL

D610 - 150WMED (MAX)
D612 - 150WMED (MAX)
D614 - 200WMED (MAX)
D616 - 200WMED (MAX)
D618 - 300WMED (MAX)
D627 - 300WMED (MAX)

B - FINISH OPTIONS

(SEE WEBSITE FOR SWATCH COLORS)
 (*SEE NOTES FOR LIMITATIONS*)
 14, 15, 16, 17, 18, 19P, 20P, 20PB, 20SB,
 21P, 22P, 23P, 38, 39, 40, 41, 41.5, 42, 43,
 44, 45, 46, 48, 49, 50, 51, 52, 53, 54, 55, 57,
 58, 59, 60, 61, 62, 63, 64, 65, 66, 70, 71, 72,
 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84,
 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96,
 97, 98, 99, 100, MG.

C – MOUNTING OPTIONS

½" ARM EXTENSIONS

E1, E2, E3, E4, B1, E16, E17, E27

¾" ARM EXTENSIONS

E3A, E4A, E5, E6, E7, E8, E9,
 E10, E11, E12, E13, B15, B15S,
 E19, E20, E21, E25

E14 - CREATE YOUR OWN

(BASELITE WILL TAKE YOUR SKETCH AND
 FABRICATE A CUSTOM ARM EXTENSION TO
 MEET YOUR NEEDS).

½" WALL MOUNT

B13, WM13, WM13R, WM13X, B10,
 B11, B101

¾" WALL MOUNT

B9, B9C, B12, WM10, WM11, WM14,
 WM14X, WM15, WM35X, WM55,
 WM55X, WM60, WM60X, WM61,
 WM61X WM70, WM70X, WM71,
 WM71X

CORD MOUNT

BLC, WHC, TCB, TCW, TCHB, TCHW, TLB,
 TLW, TLB, TLW, RCB, RCW, RCHB, RCHW,
 FHB, FHW, HBLC, HWHC, CBLC, CWHC,
 CHB, CHW

STEM MOUNT

ST6, ST12, ST18, ST24, ST36, ST48, STXX

D – MOUNTING ADD-ONS

INC ADD-ONS

CB1/2", CB3/4", CBC1/2", CBC3/4", SLC1/2",
 SLC3/4" STC1/2"

UNIVERSAL ADD-ONS

SQ ½", SQ ¾", FH ½", FH ¾", TRB ½", TRB ¾",
 SWL, LGSWL, CNK, INB, RINB

E – MOUNTING COLOR

SEE SECTION "B" FOR COLOR OPTIONS.

F – LIGHT SOURCE

(SEE PAGE 4 FOR WATTAGE LIMITATIONS)

MEDIUM BASE (E26)

100W, 150W, 200W, 300W

G – LED COLOR TEMP

NOT AVAILABLE

H – ELECTRICAL OPTION

NOT AVAILABLE

I – GLASS OPTIONS

CL3, CL4, BL3, BL4, RE3, RE4, GR3, GR4,
 AH3, AH4, FR3, FR4, PR3, PR4, BA, BAX,
 BAF, PR8, PR8F, FN, OC

J – ACCESSORIES

GR10, GR12, GR14, GR16, GR18, GR27, REF,
 UGR, LGR10, LGR12, LGR14, LGR16, LGR18,
 LGR27, CRL10, CRL12, CRL14, CRL16, CRL18,
 FLE10, FLE12, FLE14, FLE16, FLE18, FLE27,
 FGR10, FGR12, FGR14, FGR16, FGR18, FGR27,
 GU-1, GU-2, WG-1, WG-2

K – ACCESSORY COLOR

SEE SECTION "B" FOR COLOR
 OPTIONS.

NOTES

- (1). FINISH OPTIONS 75, 76, 77, 83, 84, 88, 93 AND 98 ARE APPLIED BY HAND. THESE FINISHES WILL VARY IN CONSISTENCY.
 - (2). FINISH OPTIONS 38, 39, 40, 49, 54, 57, 58, 61, 62, 63, 70, 71, 72, 73, 78, 83, 84, 88, 92, 93, 98 ONLY AVAILABLE INSIDE AND OUT OF FIXTURE. OTHER FINISHES ARE WHITE INSIDE.
 - (3). FINISH OPTIONS FOR SHADES ≤ 10" IN DIAMETER ARE THE SAME INSIDE AND OUT OF FIXTURE. SHADES > 10" IN DIAMETER ARE WHITE ON THE INSIDE.
 - (4). FINISH OPTIONS 61, 62, 70, 71, 72, 73 ARE FINISHED WITH A SUPERCHROME ON THE INSIDE FOR ALL LED LIGHT SOURCE OPTIONS.
 - (5). COLOR CORDS ARE NOT APPLICABLE FOR LED OPTIONS.
- *ALL ARMS COME WITH A CAST BACKPLATE (CB1/2", CB3/4", LWTM, CFWTM, ECT.).
- *ACCORDING TO THE LIGHT SOURCE THE BACKPLATE MAY VARY IN SIZE. (EXAMPLE: LED LIGHT SOURCE WILL HAVE A DEEPER BACKPLATE TO HOUSE THE DRIVER.).
- *ALL FIXTURES MOUNT TO A 4-0 JUNCTION BOX.
- *FIXTURE DIMENSIONS MAY VARY ± 0.25.
- *CORD AND CANOPY COME IN THE SAME COLOR.




D610 H-10" W-10"

D612 H-10.5" W-12"

D614 H-13" W-14"

D616 H-14" W-16"



D618 H-16" W-18"

D627 H-17" W-27"













C - MOUNTING OPTIONS

1/2" ARM EXTENSIONS

*ARMS RATED FOR WET LOCATION

*MAXIMUM SECTIONS OF ARMS ARE DIMENSIONED

















*E27 CUSTOM BACK PLATE - 8" (H) .5" (W)



3/4" ARM EXTENSIONS

*ARMS RATED FOR WET LOCATION

* MAXIMUM SECTIONS OF ARMS ARE DIMENSIONED



NOTES:



* All arms sold with Cast Backplate (CB)
* Backplate may vary in size depending on light source.

E14






* Baselite will take your sketch and fabricate a custom arm extension to meet your needs
* Dimensions to be determined by customer

1/2" WALL MOUNTS

*MOUNTS RATED FOR WET LOCATION






* MAXIMUM SECTIONS OF MOUNTS ARE DIMENSIONED



3/4" WALL MOUNTS

*MOUNTS RATED FOR WET LOCATION

* MAXIMUM SECTIONS OF MOUNTS ARE DIMENSIONED





C - MOUNTING OPTIONS (CONTINUED)

3/4" WALL MOUNTS


*MOUNTS RATED FOR WET LOCATION * MAXIMUM SECTIONS OF MOUNTS ARE DIMENSIONED



WM18 30"(H) 20"(W)



WM35 26"(H) 18.25"(W)




WM35X 26"(H) 22"(W)




WM55 19"(H) 25.5"(W)




WM55X 19"(H) 27"(W)




WM60 18"(H) 20"(W)




WM60X 18"(H) 22"(W)




WM61 18"(H) 20"(W)




WM61X 18"(H) 22"(W)




WM70 18"(H) 20"(W)



WM70X 18"(H) 22"(W)




WM71 18"(H) 20"(W)



WM71X 18"(H) 22"(W)

STEM MOUNTS

*STEMS RATED FOR DAMP LOCATION



DP24 DOUBLE PENDANT 20"(H) 24"(W)

*DP24 COMES STANDARD WITH STC AND ST18



ST(XX) STEM- 1/2" NPT

XX = LENGTH OF STEM

(EXAMPLE - "ST18" = STEM MOUNT 18" LENGTH)

*CANOPY NOT INCLUDED, ADD IN SECTION D

* 1/4" NPT AND 3/4" NPT AVAILABLE UPON REQUEST



SC24 SCROLL STEM 33"(H) 24"(W)

*SC24 COMES STANDARD WITH STC

INCANDESCENT CORD MOUNTS

*INCANDESCENT MAX WATTAGE 150 WATT. CALL FACTORY FOR HIGHER WATTAGES. LOOPS, CABLES, AND CHAINS AVAILABLE ONLY FOR INCANDESCENT *CORDS RATED FOR DRY LOCATION *CANOPY DIMENSIONS: .625" (H) 5.25" (W)
*CORD AND CANOPY COME IN THE SAME COLOR.



BLC 8' BLACK CORD

WHC 8' WHIT CORD



TCB 8' BLACK CORD, CABLE, AND LOOP

TCW 8' WHITE CORD, CABLE, AND LOOP




TCHB 8' BLACK CORD, 3' CHAIN, AND LOOP

TCHW 8' WHITE CORD, 3' CHAIN, AND LOOP



TLB 8' BLACK TELEPHONE CORD AND CABLE

TLW 8' WHITE TELEPHONE CORD AND CABLE



RCB 8' BLACK CORD, CABLE, AND LOOP

RCW 8' WHITE CORD, CABLE, AND LOOP



RCHB 8' BLACK CORD, 3' CHAIN, AND LOOP

RCHW 8' WHITE CORD, 3' CHAIN, AND LOOP



FHB 8' BLACK CORD WITH FLAT HUB

FHW 8' WHITE CORD WITH FLAT HUB



CBLC 8' BLACK CORD and CABLE

CWLC 8' WHITE CORD and CABLE



CHB 8' BLACK CORD, 3' CHAIN, AND LOOP


CHW 8' WHITE CORD, 3' CHAIN, AND LOOP

*LOOP MAY CHANGE, DEPENDING ON SHADE SIZE



I – GLASS OPTIONS

NOTE : GLASS IS HEAT REISISTANCE BOROSILICATE. *TEMPERD GLASS AVAILABLE UPON REQUEST. CONTACT YOUR LOCAL SALES REPRESENTATIVE FOR INFORMATION OR CALL FACTORY FOR QUESTIONS.









**CL3** 3" CLEAR GLASS**CL4** 4" CLEAR GLASS**PR3** 3" PRISMATIC GLASS**PR4** 4" PRISMATIC GLASS**RE3** 3" RED GLASS**RE4** 4" RED GLASS**BL3** 3" BLUE GLASS**BL4** 4" BLUE GLASS**FR3** 3" FROSTED GLASS**FR4** 4" FROSTED GLASS**AH3** 3" AMBER HYDE GLASS**AH4** 4" AMBER HYDE GLASS**GR3** 3" GREEN GLASS**GR4** 4" GREEN GLASS

GLASS – DIMENSIONS	
3" GLASS	
Diameter	3.34"
Height	6.93"
Fitter	3.29"
4" GLASS	
Diameter	4.34"
Height	8.37"
Fitter	4.29"

GLASS – MAX WATTAGE	
3" GLASS – 100W INC / LED25W	
4" GLASS – 200W INC / LED25W	

**BA** 6" OPAL BALL
(100W INC MAX/LED12W)**BAX** 9" CLEAR GLOBE
BAF 9" FROSTED GLOBE
(200W INC MAX/LED25W)**FN** 8" CLEAR TEXTURED GLOBE
(150W INC MAX/LED25W)**BA7** 7" CLEAR GLOBE**BA7F** 7" FROSTED GLOBE
(100W INC MAX/LED25W)**PR8** 8" PRISMATIC**PR8F** 8" PRISMATIC FROSTED
(200W INC MAX/LED45W)**OC** 8" OPAL TAPERED GLOBE
(60W INC MAX/LED25W)

J – ACCESSORIES

**GR10** 10" WIRE GRILL**GR12** 12" WIRE GRILL**GR14** 14" WIRE GRILL**GR16** 16" WIRE GRILL**GR18** 18" WIRE GRILL**GR27** 27" WIRE GRILL**LGR10** 10" LOUVERED GRILL**LGR12** 12" LOUVERED GRILL**LGR14** 14" LOUVERED GRILL**LGR16** 16" LOUVERED GRILL**LGR18** 18" LOUVERED GRILL**LGR27** 27" LOUVERED GRILL**FGR10** 10" FLAT GRILL**FGR12** 12" FLAT GRILL**FGR14** 14" FLAT GRILL**FGR16** 16" FLAT GRILL**FGR18** 18" FLAT GRILL**FGR27** 27" FLAT GRILL**CRL10** 10" CURVED POLYCARB LENSE**CRL12** 12" CURVED POLYCARB LENSE**CRL14** 14" CURVED POLYCARB LENSE**CRL16** 16" CURVED POLYCARB LENSE**CRL18** 18" CURVED POLYCARB LENSE**FLE10** 10" FLAT CLEAR LENSE**FLE12** 12" FLAT CLEAR LENSE**FLE14** 14" FLAT CLEAR LENSE**FLE16** 16" FLAT CLEAR LENSE**FLE18** 18" FLAT CLEAR LENSE**FLE27** 27" FLAT CLEAR LENSE**REF** 9.5" DIAMETER REFRACTOR**UGR** U- WIRE GUARD**WG-1** WIRE GUARD**WG-2** WIRE GUARD
Available for shades 12"
or higher**GU-1** CAST ALUMINUM GUARD**GU-2** CAST ALUMINUM GUARD
Available for shades 12" or higher