



# BASELITE - DE-DP-DHE-DHP-DPV - INC - SPEC SHEET



PROJECT NAME: \_\_\_\_\_ PROJECT TYPE: \_\_\_\_\_

MODEL #	/	/	/	X	/	/	/	/	/	/	/
EXAMPLE:	A	B	C	D	E	F	G	H	I	J	K
	DHE1	41	E18	-	41	12WINC	3K	LDM120	FR3	CG1	41

\*SKIP SECTION IF OPTION DOES NOT APPLY

NOTES: **BABA COMPLIANT**



DHE1/52/E18/52/100WINC/FR3/CG1/52

## A - SHADES

### DE-DHE SERIES

- DE1** - 100WINC (MAX), (3" GLASS), (3" GUARD)
  - DE2** - 200WINC (MAX), (4" GLASS), (4" GUARD)
  - DHE1** - 100WINC (MAX), (3" GLASS), (3" GUARD)
  - DHE2** - 200WINC (MAX), (4" GLASS), (4" GUARD)
- ### DP-DHP SERIES
- DP1** - 100WINC (MAX), (3" GLASS), (3" GUARD)
  - DP2** - 200WINC (MAX), (4" GLASS), (4" GUARD)
  - DHP1** - 100WINC (MAX), (3" GLASS), (3" GUARD)
  - DHP2** - 200WINC (MAX), (4" GLASS), (4" GUARD)
- ### DPV SERIES
- DPV1** - 100WINC (MAX), (3" GLASS), (3" GUARD)
  - DPV2** - 200WINC (MAX), (4" GLASS), (4" GUARD)

## B - FINISH OPTIONS

(SEE NOTES FOR LIMITATIONS)  
 (SEE WEBSITE FOR SWATCH COLORS)  
 20, 21, 22, 23, 40, 41, 41.5, 42, 43, 44, 45,  
 46, 48, 49, 50, 51, 52, 53, 54, 55, 59, 60,  
 61, 62, 63, 70, 71, 72, 73

## C - MOUNTING OPTIONS

\* ALL FIXTURES COMES AS IS. NO OTHER MOUNTING APPLIES  
**E18** - COMES STANDARD WITH DE & DHE  
**STEM MOUNT**  
 ST6, ST12, ST18, ST24, ST36, ST48, STXX

## D - MOUNTING ADD-ONS

**INC ADD-ONS**  
 CB1/2", CB3/4", CBC1/2", CBC3/4", SLC1/2"  
 SLC3/4" STC1/2"  
**UNIVERSAL ADD-ONS**  
 LGSWL

## E - MOUNTING COLOR

SEE SECTION "B" FOR COLOR OPTIONS.

## F - LIGHT SOURCE

(SEE PAGE 2 FOR WATTAGE LIMITATIONS)  
**INCANDESCENT (INC)**  
 100W, 150W, 200W

## G - LED COLOR TEMP

NOT AVAILABLE

## H - ELECTRICAL OPTION

NOT AVAILABLE

## I - GLASS OPTIONS

**3" GLASS**  
 (AVAILABLE FOR DE1, DHE1, DP1, DHP1, DPV1)  
 CL3, CLT3, BL3, RE3, GR3,  
 AH3, FR3, FRT3, PR3

**4" GLASS**  
 (AVAILABLE FOR DE2, DHE2, DP2, DHP2, DPV2)  
 CL4, CLT4, BL4, RE4, GR4,  
 AH4, FR4, FRT4, PR4

## J - ACCESSORIES

**3" GUARDS**  
 (AVAILABLE FOR DE1, DHE1, DP1, DHP1, DPV1)  
 CG1, WG1


**4" GUARDS**  
 (AVAILABLE FOR DE2, DHE2, DP2, DHP2, DPV2)  
 CG2, WG2

## K - ACCESSORY COLOR

SEE SECTION "B" FOR COLOR OPTIONS.


## NOTES

- (1). FINISH OPTIONS 40, 49, 54, 61, 62, 63, 70, 71, 72, 73 ONLY AVAILABLE INSIDE AND OUT OF FIXTURE. OTHER FINISHES ARE WHITE INSIDE.
  - (2). FINISH OPTIONS FOR SHADES ≤ 10" IN DIAMETER ARE THE SAME INSIDE AND OUT OF FIXTURE. SHADES > 10" IN DIAMETER ARE WHITE ON THE INSIDE.
  - (3). FINISH OPTIONS 61, 62, 70, 71, 72, 73 ARE FINISHED WITH A SUPERCHROME ON THE INSIDE FOR ALL LED LIGHT SOURCE OPTIONS.
- \*ALL ARMS COME WITH A CAST BACKPLATE (CB1/2", CB3/4", LWTM, CFWTM, ECT.).
  - \*ACCORDING TO THE LIGHT SOURCE THE BACKPLATE MAY VARY IN SIZE. (EXAMPLE: LED LIGHT SOURCE WILL HAVE A DEEPER BACKPLATE TO HOUSE THE DRIVER.).
  - \*ALL FIXTURES MOUNT TO A RECESSED 4-O JUNCTION BOX.
  - \*FIXTURE DIMENSIONS MAY VARY ± 0.25.
  - \*RATED FOR WET LOCATION.




**DE1** H - 11.375" W - 15"

**DE2** H - 13.75" W - 16.25"  
 3" GLASS & 3" GUARD AVAILABLE FOR DE1  
 4" GLASS & 4" GUARD AVAILABLE FOR DE2




**DP1** H - 11.375" W - 15"

**DP2** H - 13.75" W - 16.25"  
 3" GLASS & 3" GUARD AVAILABLE FOR DP1  
 4" GLASS & 4" GUARD AVAILABLE FOR DP2




**DHE1** H - 11.375" W - 19"

**DHE2** H - 13.75" W - 21"  
 3" GLASS & 3" GUARD AVAILABLE FOR DHE1  
 4" GLASS & 4" GUARD AVAILABLE FOR DHE2



**DHP1** H - 11.375" W - 19"

**DHP2** H - 13.75" W - 21"  
 3" GLASS & 3" GUARD AVAILABLE FOR DHP1  
 4" GLASS & 4" GUARD AVAILABLE FOR DHP2



**DPV1** H - 4" W - 21.5"

**DPV2** H - 55" W - 26.25"  
 3" GLASS & 3" GUARD AVAILABLE FOR DPV1  
 4" GLASS & 4" GUARD AVAILABLE FOR DPV2



**C - MOUNTING OPTIONS**

**STEM MOUNTS**


\*STEMS RATED FOR DAMP LOCATION




**ST(XX)** STEM- 1/2" NPT  
XX = LENGTH OF STEM  
(EXAMPLE - "ST18" = STEM MOUNT 18" LENGTH)  
\*CANOPY NOT INCLUDED, ADD IN SECTION D  
\* 1/4" NPT AND 3/4" NPT AVAILABLE UPON REQUEST

**D - MOUNTING ADD-ONS**


**INCANDESCENT ARM ADD-ONS**




**CB 1/2"** CAST ALUMINUM BACKPLATE 1/2 NPT  
**CB 3/4"** CAST ALUMINUM BACKPLATE 3/4 NPT



**CBC 1/2"** 1/2" BACKPLATE COVER  
**CBC 3/4"** 3/4" BACKPLATE COVER  
\* Includes slip ring to hold 1/2" or 3/4" arm extension in place



**SLC 1/2"** SLOPE CEILING CANOPY 1/2"  
**SLC 3/4"** SLOPE CEILING CANOPY 3/4"  
\*(Slopes To 20 Degrees)




**STC 1/2"** 1/2" STEM MOUNT CANOPY

**UNIVERSAL STEM AND ARM ADD-ONS**

\* EXAMPLE FOR MULTIPLE MOUNTING ADD-ONS:

MODEL #: -/-/ LWTM, TRB 1/2", LGSWL -/-/ -/-/  
A B C D E F G H I J K



**LGSWL** 1/2" NPT SWIVEL  
For all shades greater than 7" wide in diameter

**F - LIGHT SOURCE**

INCANDESCENT (INC) MED E26					
<b>INC 100W-</b> DE1, DHE1, DP1, DHP1, DPV1 <b>INC 200W-</b> DE2, DHE2, DP2, DHP2, DPV2			*IMPORTANT - FOR INCANDESCENT (INC) LIGHT SOURCE OPTION, FIXTURES ARE LIMITED DUE TO SIZE OF THE FIXTURE AND THE CORD WATTAGE RESTRICTIONS. PLEASE SEE AVAILABILITY CHART TO THE LEFT. <b>EXAMPLE: / INC150W /</b>		
OPTION	WATTAGE	LUMENS	CRI	VOLTAGE	DIMMING
100WINC	100W	PER BULB SPECS	>90	120-277 VAC	N/A
150WINC	150W	PER BULB SPECS	>90	120-277 VAC	N/A
200WINC	200W	PER BULB SPECS	>90	120-277 VAC	N/A



**I – GLASS OPTIONS**

\* 3" GUARDS AVAILIBLE FOR DE1, DHE1, DP1, DHP1, DPV1 \*4" GUARDS AVAILIBLE FOR DE2, DHE2, DP2, DHP2, DPV2



**CL3** 3" CLEAR GLASS  
**CL4** 4" CLEAR GLASS



**PR3** 3" PRISMATIC GLASS  
**PR4** 4" PRISMATIC GLASS



**RE3** 3" RED GLASS  
**RE4** 4" RED GLASS



**BL3** 3" BLUE GLASS  
**BL4** 4" BLUE GLASS



**FR3** 3" FROSTED GLASS  
**FR4** 4" FROSTED GLASS




**AH3** 3" AMBER HYDE GLASS  
**AH4** 4" AMBER HYDE GLASS



**GR3** 3" GREEN GLASS  
**GR4** 4" GREEN GLASS


GLASS – DIMENSIONS	
3" GLASS	
Diameter	3.34"
Height	6.93"
Fitter	3.29"
4" GLASS	
Diameter	4.34"
Height	8.37"
Fitter	4.29"




GLASS – MAX WATTAGE	
3" GLASS	– 100W INC / LED12W
4" GLASS	– 200W INC / LED25W

**J – ACCESSORIES**


\* 3" GUARDS AVAILIBLE FOR DE1, DHE1, DP1, DHP1, DPV1 \*4" GUARDS AVAILIBLE FOR DE2, DHE2, DP2, DHP2, DPV2




**WG1** 3" WIRE GUARD



**WG2** 4" WIRE GUARD



**CG1** 3" CAST GUARD



**CG2** 4" CAST GUARD