



# BASELITE - ARCHITECTURAL - WALL LIGHTS - L.E.D.



PROJECT NAME: \_\_\_\_\_ PROJECT TYPE: \_\_\_\_\_

MODEL #    /    /    x    /    x    /    x    /    /    /    x    /    x    /    x    /

EXAMPLE:    A    B    C    D    E    F    G    H    I    J    K

                  EUAR1    41    -    -    -    45W    3K    -    -    -    LDM120

\*SKIP SECTION IF OPTION DOES NOT APPLY

NOTES: **BABA COMPLIANT**



## A - SHADES

- WALL LIGHTS**
- EUAR1 - (25W MAX)
  - EUAR2 - (50W MAX)
  - EUCS1 - (25W MAX)
  - EUCS2 - (50W MAX)
  - EUES1 - (25W MAX)
  - EUES2 - (50W MAX)
  - EUER1 - (25W MAX)
  - EUER2 - (50W MAX)
  - EUFS1 - (25W MAX)
  - EUFS2 - (50W MAX)
  - EUFR1 - (25W MAX)
  - EUFR2 - (50W MAX)
  - EUGS1 - (25W MAX)
  - EUGS2 - (50W MAX)
  - EUGR1 - (25W MAX)
  - EUGR2 - (50W MAX)
  - EUHS1 - (25W MAX)
  - EUHS2 - (50W MAX)
  - EUHR1 - (25W MAX)
  - EUHR2 - (50W MAX)
  - EUIR1 - (25W MAX)
  - EUIR2 - (50W MAX)
  - EUJS1 - (25W MAX)
  - EUJS2 - (50W MAX)
  - EUKR1 - (25W MAX)
  - EUKR2 - (50W MAX)
  - WDY14 - (25W MAX)
  - WWM8 - (25W MAX)
  - SAL8 - (25W MAX)

**WALL LIGHTS ADA COMPLIANT**

- EUAR1, EUCS1, EUES1,
- EUER1, EUFS1, EUFR1,
- EUGS1, EUGR1, EUHS1,
- EUHR1, EUIR1, EUJS1,
- EUKR1



## B - FINISH OPTIONS

- 15-POWDER BLUE
- 16-DISTRESSED TURQUOISE
- 17-DISTRESSED CHALK
- 18-MINT GREEN
- 19A-ANTIQU ALUMINUM ACID (2)
- 19-ANTIQU ALUMINUM
- 22A-OLD PEWTER ACID (1)(2)
- 22-OLD PEWTER
- 41-GLOSS BLACK
- 41.5-MATTE BLACK
- 42-DARK GREEN
- 43-RED
- 44-WHITE
- 45-MEDIUM BLUE
- 46-YELLOW
- 48-POLISHED ALUMINUM
- 49-GALVANIZED
- 50-NAVY BLUE
- 51-ARCHITECTURAL BRONZE
- 52-PATINA

## B - FINISH OPTIONS (CONT.)

- 53-RUST
- 54-STUCCO
- 55-SAGE
- 57-POLISHED ALUMINUM CC
- 58-SATIN ALUMINUM
- 59-COPPER TONE
- 60-CANAL GREEN
- 61-ANODIZED CHARCOAL
- 62-ANODIZED BRONZE
- 63-IRON RUST
- 64- WROUGHT IRON
- 65-TERRACOTTA
- 66-BARK
- 70-TRANSPARENT RED
- 71-TRANSPARENT GREEN
- 72-TRANSPARENT WINE
- 73-TRANSPARENT NAVY
- 74-GUN METAL
- 75-DISTRESSED RED
- 76-DISTRESSED BLUE
- 77-DISTRESSED GREEN
- 78-CHALKBOARD BLACK
- 79-GHOST ORANGE
- 80-PALE GOLD
- 81-METALLIC BRONZE
- 82-BLACK GOLD
- 83-SHOCKER GREEN
- 84-FADDED BLUE
- 85-COBBLESTONE
- 86-BRONZE COPPER
- 87-CHAMPAGNE
- 89-TAUPE
- 90-LIME GREEN
- 91-PACIFIC PINE
- 92-ANTIQU GALVANIZED
- 93-FADDED COPPER
- 94-ANODIZED ALUMINUM
- 95-TURQUOISE
- 96-PURPLE
- 97-BATTLESHIP GREY
- 98-BLACKENED PIPE
- 99-STEEL
- 100-OLD STEEL
- (MG) MARINE GRADE FINISH-AVAILABLE UPON REQUEST.

## F – LIGHT SOURCE

**LIGHT EMITTED DIODE (LED)**  
12W, 25W, 35W, 50W

## G – LED COLOR TEMP

(ONLY APPLICABLE FOR LED LIGHT SOURCE. SKIP THIS SECTION IF OPTION DOES NOT APPLY.)

- 27K – 2700 KELVIN
- 3K – 3000 KELVIN
- 35K – 3500 KELVIN
- 4K – 4000 KELVIN
- 5K – 5000 KELVIN

## K – ELECTRICAL OPTION

- LDM120 – 120V DIMMING
- LDM0-10 – 0-10V DIMMING

## NOTES

- (1). FINISH OPTIONS 20, 21, 22, 23 ARE FOR SOLID BRASS FIXTURES ONLY.
- (2). FINISH OPTIONS 19, 21, 22, 23 ARE AN ACID FINISH AND IS APPLIED BY HAND. THESE FINISHES WILL VARY IN CONSISTENCY.
- (3). ALL FIXTURES MOUNT TO A 40 JUNCTION BOX.
- (4). FIXTURE DIMENSIONS MAY VARY ± 0.25.
- (5). WALL LIGHTS WITH THE ADA LOGO MEET THE REQUIREMENTS OF A 4" PROJECTION FROM THE WALL TO BE ADA COMPLIANT.
- (6). WALL LIGHTS ARE RATED FOR WET LOCATION.



# BASELITE - ARCHITECTURAL – WALL LIGHTS


PROJECT NAME: \_\_\_\_\_ PROJECT TYPE: \_\_\_\_\_

## A – SHADES



### ARCHITECTURAL WALL LIGHTS



	HEIGHT	WIDTH	PROJ.
<b>EUAR1</b>	16"	8"	4"
<b>EUAR2</b>	22"	9.5"	5.5"





	HEIGHT	WIDTH	PROJ.
<b>EUCS1</b>	16"	8"	4"
<b>EUCS2</b>	22"	9.5"	5.5"




	HEIGHT	WIDTH	PROJ.
<b>EUER1</b>	16"	8"	4"
<b>EUER2</b>	22"	9.5"	5.5"





	HEIGHT	WIDTH	PROJ.
<b>EUES1</b>	16"	8"	4"
<b>EUES2</b>	22"	9.5"	5.5"




	HEIGHT	WIDTH	PROJ.
<b>EUFR1</b>	16"	8"	4"
<b>EUFR2</b>	22"	9.5"	5.5"




	HEIGHT	WIDTH	PROJ.
<b>EUFS1</b>	16"	8"	4"
<b>EUFS2</b>	22"	9.5"	5.5"



	HEIGHT	WIDTH	PROJ.
<b>EUGR1</b>	16"	8"	4"
<b>EUGR2</b>	22"	9.5"	5.5"





	HEIGHT	WIDTH	PROJ.
<b>EUGS1</b>	16"	8"	4"
<b>EUGS2</b>	22"	9.5"	5.5"





	HEIGHT	WIDTH	PROJ.
<b>EUHR1</b>	16"	8"	4"
<b>EUHR2</b>	22"	9.5"	5.5"




	HEIGHT	WIDTH	PROJ.
<b>EUHS1</b>	16"	8"	4"
<b>EUHS2</b>	22"	9.5"	5.5"





	HEIGHT	WIDTH	PROJ.
<b>EUIR1</b>	16"	8"	4"
<b>EUIR2</b>	22"	9.5"	5.5"




	HEIGHT	WIDTH	PROJ.
<b>EUJS1</b>	16"	8"	4"
<b>EUJS2</b>	22"	9.5"	5.5"




	HEIGHT	WIDTH	PROJ.
<b>EUKR1</b>	16"	8"	4"
<b>EUKR2</b>	22"	9.5"	5.5"



	HEIGHT	WIDTH	PROJ.
<b>WDY14</b>	16"	16.25"	10"



	HEIGHT	WIDTH	PROJ.
<b>WWM8</b>	7"	7.75"	8"



	HEIGHT	WIDTH	PROJ.
<b>SAL8</b>	14.75"	6"	10"



# BASELITE - ARCHITECTURAL – WALL LIGHTS

PROJECT NAME: \_\_\_\_\_ PROJECT TYPE: \_\_\_\_\_

## B – FINISH OPTIONS (SEE FINISH OPTION SWATCHES ON WEBSITE)

14PN-POLISH NICKEL 15-POWDER BLUE 16-DISTRESSED TURQUOISE 17-DISTRESSED CHALK 18-MINT GREEN 19-ANTIQU ALUMINUM\* 19P-ANTIQU ALUMINUM 20-RAW BRASS 20P-BRASS 20PB-POLISHED BRASS 20SB-SATIN BRASS 21-OIL RUBBED BRONZE\* 21P-OIL RUBBED BRONZE 22-OLD PEWTER\* 22P-OLD PEWTER PC 23-OLD COPPER PATINA\* 23P-OLD COPPER PATINA 38-COPPER TINT 39-RAW COPPER 40-COPPER CLEAR COAT 41-GLOSS BLACK 41.5-MATTE BLACK 42-DARK GREEN 43-RED 44-WHITE 45-MEDIUM BLUE 46-YELLOW 48-POLISHED ALUMINUM 49-GALVANIZED 50-NAVY BLUE 51-ARCHITECTURAL BRONZE 52-PATINA 53-RUST 54-STUCCO 55-SAGE 57-POLISHED ALUMINUM CC 58-SATIN ALUMINUM 59-COPPER TONE 60-CANAL GREEN 61-ANODIZED CHARCOAL 62-ANODIZED BRONZE 63-IRON RUST 64-WROUGHT IRON 65-TERRACOTTA 66-BARK 70-TRANSPARENT RED 71-TRANSPARENT GREEN 72-TRANSPARENT WINE 73-TRANSPARENT NAVY 74-GUN METAL 75-DISTRESSED RED 76-DISTRESSED BLUE 77-DISTRESSED GREEN 78-CHALKBOARD BLACK 79-GHOST ORANGE 80-PALE GOLD 81-METALLIC BRONZE 82-BLACK GOLD 83-SHOCKER GREEN 84-FADDED BLUE 85-COBBLESTONE 86-BRONZE COPPER 87-CHAMPAGNE 88-FLAMED STEEL 89-TAUPE 90-LIME GREEN 91-PACIFIC PINE 92-ANTIQU GALVANIZED 93-FADDED COPPER 94-ANODIZED ALUMINUM 95-TURQUOISE 96-PURPLE 97-BATTLESHIP GREY 98-BLACKENED PIPE 99-STEEL 100-OLD STEEL (MG)- MARINE GRADE FINISH- AVAILABLE UPON REQUEST.

## F – LIGHT SOURCE

BASELITE'S PUBLISHED LUMINAIRE PHOTOMETRIC TESTING WAS PERFORMED IN A 3-METER INTEGRATING SPHERE USING THE 4TT GEOMETRY METHOD. DATA IS CONSIDERED TO BE REPRESENTATIVE OF THE CONFIGURATIONS SHOWN, WITHIN THE TOLERANCES ALLOWED BY LIGHTING FACTS.

### LIGHT EMITTING DIODE (LED)

**LED 25W (MAX)**- EUAR1, EUCS1, EUES1, EUER1, EUFS1, EUFR1, EUGS1, EUGR1, EUHS1, EUHR1, EUIR1, EUJS1, EUKR1, WDY14, WWM8

**LED 50W (MAX)**- EUAR2, EUCS2, EUES2, EUER2, EUFS2, EUFR2, EUGS2, EUGR2, EUHS2, EUHR2, EUIR2, EUJS2, EUKR2

**\*IMPORTANT** – FOR LIGHT EMITTED DIODE (LED) LIGHT SOURCE OPTION, FIXTURES ARE LIMITED DUE TO SIZE OF THE FIXTURE AND THE CORD WATTAGE RESTRICTIONS. PLEASE SEE MAX WATTAGE AVAILABILITY.  
**EXAMPLE:** / LED50W /

OPTION	WATTAGE	LUMENS	CRI	VOLTAGE	DIMMING
LED10WF	10W	1570	>90	120-277 VAC	DIMMING @ 120V ONLY
LED12W	12W	1596	>90	120-277 VAC	See section "H"
LED25W	25W	3125	>90	120-277 VAC	See section "H"
LED35W	35W	4200	>90	120-277 VAC	See section "H"
LED50W	50W	5750	>90	120-277 VAC	See section "H"

@3500K

## K – ELECTRICAL OPTION

MOST BASELITE'S ELECTRICAL OPTIONS ARE ONLY COMPATIBLE FOR CERTAIN FIXTURES. PLEASE SEE NOTES BELOW AND FOR FURTHER DEATIALS CONTACT THE FACTORY. FOR DIMMING BALLAST OPTION PLEASE CHOOSE MARK X OR MARK VII, SO RESTRICTIONS APPLY DUE TO THE SIZE OF THE BALLAST AND FIXTURE.

### LED DIMMING OPTIONS

(LED10WF – ONLY AVAILABLE WITH LDM120 - TRI-ELV DIMMING OPITON) ALL OTHER WATTAGES CAN CHOOSE FROM THE OPTIONS BELOW. CONTACT DRIVER MANUFACTURER FOR FURTHER SPECIFICATIONS.

**LDM120** - TRIAC / ELV – INPUT 120 / 277V - DIMMING AT 120 VOLT ONLY

**LDM0-10V** – 0 – 10V – DIMMING AT 120 / 277 VOLTS